

VW MK8 GTI/Golf R Hood Strut Kit Installation Instructions - Click HERE to Shop



Skill Level 1 - Easy -Basic Skills Required



Proper service and repair procedures are vital to the safe, reliable operation of all motor vehicles as well as the personal safety of those performing the repairs. Standard safety procedures and precautions (including use of safety goggles and proper tools and equipment) should be followed at all times to eliminate the possibility of personal injury or improper service which could damage the vehicle or compromise its safety.

INSTALLING THE HOOD STRUT KIT

Step 1:

Pull the hood insulation back as shown to access the opening in the hood.

Note the location of the hole (circled in **Mallow**) where the ball stud will be installed.

Step 2: 13mm Wrench, 13mm Socket & Ratchet

Slide the ball stud and washer (inset photo) into the hole in the hood, then thread the other washer and nut onto the end of the ball stud through the opening in the hood as shown. Tighten the nut until snug, sandwiching the hood between the two washers.







INSTALLING THE HOOD STRUT KIT

Step 3:

Install the hood strut (highlighted in **GREEN**) between the OE ball stud and the ball stud we installed, by pushing the socket on either end onto each ball stud until it pops into place.



Be sure to orient the strut properly, with the cylinder located at the bottom and the rod at the top.



Step 4:

Remove the OE hood prop, grommet and clip (highlighted in **GREEN**).

Congratulations, your installation is complete!



Your Hood Strut Kit installation is complete!



These instructions are provided as a courtesy by ECS Tuning

Proper service and repair procedures are vital to the safe, reliable operation of all motor vehicles as well as the personal safety of those performing the repairs. Standard safety procedures and precautions (including use of safety goggles and proper tools and equipment) should be followed at all times to eliminate the possibility of personal injury or improper service which could damage the vehicle or compromise its safety.

Although this material has been prepared with the intent to provide reliable information, no warranty (express or implied) is made as to its accuracy or completeness. Neither is any liability assumed for loss or damage resulting from reliance on this material. SPECIFICALLY, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER WARRANTY IS MADE OR TO BE IMPLIED WITH RESPECT TO THIS MATERIAL. In no event will ECS Tuning, Incorporated or its affiliates be liable for any damages, direct or indirect, consequential or compensatory, arising out of the use of this material.